

Close

Web of Science  
Page 1 (Records 1 -- 1)

Print

◀ [ 1 ] ▶

**Record 1 of 1****Title:** Comparative Efficacy of Antimicrobial Central Venous Catheters in Reducing Catheter-Related Bloodstream Infections in Adults: Abridged Cochrane Systematic Review and Network Meta-Analysis**Author(s):** Chong, HY (Chong, Huey Yi); Lai, NM (Lai, Nai Ming); Apisarntharak, A (Apisarntharak, Anucha); Chaiyakunapruk, N (Chaiyakunapruk, Nathorn)**Source:** CLINICAL INFECTIOUS DISEASES **Volume:** 64 **Pages:** S131-S140 **DOI:** 10.1093/cid/cix019 **Supplement:** 2 **Published:** MAY 15 2017**Times Cited in Web of Science Core Collection:** 0**Total Times Cited:** 0**Usage Count (Last 180 days):** 4**Usage Count (Since 2013):** 4**Cited Reference Count:** 112**Abstract:** Background. The efficacy of antimicrobial central venous catheters (CVCs) remains questionable. In this network meta-analysis, we aimed to assess the comparative efficacy of antimicrobial CVC impregnations in reducing catheter-related infections in adults.

Methods. We searched 4 electronic databases (Medline, the Cochrane Central Register of Controlled Trials, Embase, CINAHL) and internet sources for randomized controlled trials, ongoing clinical trials, and unpublished studies up to August 2016. Studies that assessed CVCs with antimicrobial impregnation with nonimpregnated catheters or catheters with another impregnation were included. Primary outcomes were clinically diagnosed sepsis, catheter-related bloodstream infection (CRBSI), and all-cause mortality. We performed a network meta-analysis to estimate risk ratio (RR) with 95% confidence interval (CI).

Results. Sixty studies with 17 255 catheters were included. The effects of 14 impregnations were investigated. Both CRBSI and catheter colonization were the most commonly evaluated outcomes. Silver-impregnated CVCs significantly reduced clinically diagnosed sepsis compared with silver-impregnated cuffs (RR, 0.54 [95% CI, .29-.99]). When compared to no impregnation, significant CRBSI reduction was associated with minocycline-rifampicin (RR, 0.29 [95% CI, .16-.52]) and silver (RR, 0.57 [95% CI, .38-.86]) impregnations. No impregnations significantly reduced all-cause mortality. For catheter colonization, significant decreases were shown by miconazole-rifampicin (RR, 0.14 [95% CI, .05-.36]), 5-fluorouracil (RR, 0.34 [95% CI, .14-.82]), and chlorhexidine-silver sulfadiazine (RR, 0.60 [95% CI, .50-.72]) impregnations compared with no impregnation. None of the studies evaluated antibiotic/antiseptic resistance as the outcome.

Conclusions. Current evidence suggests that the minocycline-rifampicin-impregnated CVC appears to be the most effective in preventing CRBSI. However, its overall benefits in reducing clinical sepsis and mortality remain uncertain. Surveillance for antibiotic resistance attributed to the routine use of antimicrobial-impregnated CVCs should be emphasized in future trials.

**Accession Number:** WOS:000400281800014**PubMed ID:** 28475779**Language:** English**Document Type:** Article**Author Keywords:** catheter-related bloodstream infection; catheter colonization; central venous catheter**KeyWords Plus:** INTENSIVE-CARE-UNIT; CRITICALLY-ILL PATIENTS; RANDOMIZED CONTROLLED-TRIAL; ANTISEPTIC-IMPREGNATED CATHETERS; BROAD-SPECTRUM ACTIVITY; SILVER-SULFADIAZINE; BACTERIAL-COLONIZATION; IN-VITRO; DOUBLE-BLIND; VASCULAR CATHETER**Addresses:** [Chong, Huey Yi; Lai, Nai Ming; Chaiyakunapruk, Nathorn] Monash Univ Malaysia, Sch Pharm, Jalan Lagoon Selatan, Bandar Sunway 46150, Selangor, Malaysia.

[Lai, Nai Ming] Taylors Univ, Sch Med, Lakeside Campus, Subang Jaya, Selangor, Malaysia.

[Apisarntharak, Anucha] Thammasat Univ Hosp, Div Infect Dis, Fac Med, Pathum Thani, Thailand.

[Chaiyakunapruk, Nathorn] Univ Queensland, Sch Populat Hlth, Brisbane, Qld, Australia.

[Chaiyakunapruk, Nathorn] Naresuan Univ, Fac Pharmaceut Sci, Dept Pharm Practice, Ctr Pharmaceut Outcomes Res, Phitsanulok, Thailand.

[Chaiyakunapruk, Nathorn] Univ Wisconsin, Sch Pharm, Madison, WI 53706 USA.

**Reprint Address:** Chaiyakunapruk, N (reprint author), Monash Univ Malaysia, Sch Pharm, Jalan Lagoon Selatan, Bandar Sunway 46150, Selangor, Malaysia.**E-mail Addresses:** nathorn.chaiyakunapruk@monash.edu**Publisher:** OXFORD UNIV PRESS INC**Publisher Address:** JOURNALS DEPT, 2001 EVANS RD, CARY, NC 27513 USA**Web of Science Categories:** Immunology; Infectious Diseases; Microbiology**Research Areas:** Immunology; Infectious Diseases; Microbiology**IDS Number:** ET4UZ**ISSN:** 1058-4838**eISSN:** 1537-6591**29-char Source Abbrev.:** CLIN INFECT DIS**ISO Source Abbrev.:** Clin. Infect. Dis.**Source Item Page Count:** 10**Funding:**

Funding Agency	Grant Number
Infectious Diseases Association of Thailand (IDAT)	

This article appears as part of the supplement "Infection Prevention in Asia Pacific," sponsored by the Infectious Diseases Association of Thailand (IDAT).

**Open Access:** No**Output Date:** 2017-11-06

Close

Web of Science  
Page 1 (Records 1 -- 1)

Print

◀ [ 1 ] ▶